Epagri's Apple Breeding Program and the most important brazilian apple varieties

Marcus Vinicius Kvitschal¹; Frederico Denardi²

¹ Epagri / Experimental Station of Caçador
 ² Epagri / Experimental Station of Caçador (Retired)



EPAGRI

Conhecimento para a produção de alimentos

Knowledge for food production





Mission

Knowlege, technology and rural extension for sustentable development of rural areas, aiming benefits of society.

Objectives

Promoting the preservation, recovery, conservation and sustentable utilization of natural resources.

Pursuing the competitiveness of agriculture in Santa Catarina State compared to global markets, adapting products to the consumers requirements.

Promoting the quality of life in rural and fishing environment.

Main activities

Agricultural Research: promoting improvement of yield in agriculture

Development of new tecnologies of production
 Weather condictions studies and forecast


- **Rural Extension**: supporting the development of agriculture
- Supporting production planning for small farmers
 Education for new techniques of production
 Fomentation to social organization and development







EPAGRI IN SANTA CATARINA STATE (Agriculture Research and Rural Extension)



Experimental Stations researching in Apple Crop:

Caçador Experimental Station:

- 965m above sea level
- 580 chilling hours (≤ 7,2°C) on average

São Joaquim Experimental Station:

- 1.400m above sea level
- 920 chilling hours (≤ 7,2°C) on average











The most challenges for Apple production in Brazil...



1st. Low winter chilling acumulation:


Poor budbreak:

Not enough adaptation to brazilian climate for most of foreign varieties














2nd. High incidence of diseases:









3rd. Too many fruits to pick in a too short-time window:

Too much labor hand required for harvesting all apple production on time

(time window of 60-70 days):



⇔Gala group:

(Imperial Gala, Royal Gala, Galaxy, Maxi Gala, Baigent)

(60%)

≈ 550.000 a 700.000 ton/year



(Fuji, <u>Fuji Suprema</u>, Fuji Brak, Fuji Precoce, Fuji Mishima)

(35%)

≈ 300.000 a 400.000 ton/year



(<u>Eva</u>, Daiane, Monalisa, Luiza, Venice, Kinkas, CrippsPink)


(5%)

≈ 100.000 ton/year

Epagri's Apple Breeding Program



Since 1972 Improving the Apple Crop in Brazil









First line of Research: **HYBRID VARIETIES**

16 hybrid varieties released

1 new hybrid variety coming soon...





Constantly improving

Works with new varieties seek even more flavor options and climate adaptation, besides cultivars geared towards sanity and conservation

Source: Anuário Brasileiro da Maçã 2015. Santa Cruz do Sul: Editora Gazeta, 2015, 72p.







Mutation for the **better**

More economical, research with this

FOCUS IS REINFORCED TO ACHIEVE RESISTANCE TO

Source:

Anuário Brasileiro da Maçã 2017. Santa Cruz do Sul: Editora Gazeta, 201.6, 56p.

Second line of Research: NATURAL MUTATIONS

5 sport varieties released (mutations)

2 new sports coming soon...







The main Goals:

Development of new varieties to serve **Growers** and **Customers**

- High eating-quality fruits: (<u>high sugar content</u>, <u>crispness</u>, <u>juiceness</u>...)
- **► Low-Medium Chilling Requirement**
- > Resistance to Apple Scab (V. inaequalis) and Glomerella Leaf Spot (Colletotrichum spp.)
- > Harvesting time different of Gala and Fuji (Diversification)
- **➤** Long-time fruit storability
- >Trees needing less labor hand in orchard:
 - Plants not too vigours, with lot of spur buds, with open branches
 - Flower clusters requiring no thinning (still looking for germplasm)







International Partnership:

(Epagri's apple varieties worldwide development)



Long-time partnership with:

FO www.ifo-fruit.com




PLANT MATERIAL MANAGEMENT

Introduction through quarantine

Propagation by Dalival nursery

Worldwide marketer and nursery network







The most important varieties released by Epagri

21 varieties released until 2022 (16 Hybrids; 5 Mutations)

More options to join Gala and Fuji sports for <u>diversification</u> of harvesting and choices by customers









scs417 Monalisa®


Releasing: 2009

- ✓ Medium chilling requirement (adapted to warm climates)
- ✓ High ability to develop spur buds and open branches
- ✓ Resistant to scab (Rvi₆) and Glomerella Leaf Spot (vertical resistance)
- **✓ Resistant to bitter rots (***G. cingulata***)** (horizontal resistance)
- ✓ Resistant to red spider mite (Panonichus ulmi)
- ✓ Susceptible to marssonina spot (Marssonina mali)
- ✓ Early picking time: 7 to 10 days before Gala
- ✓ Very nice fruit appearance, crunchy and juicy flesh
- ✓ Firm texture, **high sugar content** (>14°Brix), medium/high acidity
- ✓ Storage ability: similar to Gala

(Warning: sensible to high CO_2 levels in Controled Atmosphere)









scs425 Luiza

scs426 Venice

scs443 Isadora



Brand name:



(by Rivoira Group)









- ✓ Adaptation to warm climates
- ✓ Resistant to Glomerella Leaf Spot
- ✓ More tolerant to apple scab than Gala (but not immune)
- ✓ More precocious to start production than Gala
- ✓ High yield potential (high fruit set)
- ✓ Very crunchy, very juicy and very sweet

Luiza, Venice, Isadora



Luiza, Venice, Isadora





scs426 Venice

scs443 Isadora

- ✓ Good tolerance to bitter rots (*G. cingulata*)
- ✓ <u>Picking time</u>: quite similar to Gala
- ✓ Storage ability: similar to Gala



Particularities of each variety:

- √ Very high uniformity of fruit size and shape
- ✓ <u>Picking time</u>: mid-march (after Gala, before Fuji)
- ✓ Storage ability: very good, but susceptible to Penicillium spp.

- ✓ Very wide picking time window
- ✓ <u>Picking time</u>: half april (after Fuji)
- ✓ Storage ability: very very good (much better than Fuji)
- √ Very low fruit rot on storage














High visual standard and very uniform fruit size and shape













Daiane


Releasing: 1998

- ✓ Medium / High Chilling Requirement (better perfomance on highlands not for warm climates)
- ✓ Resistant to Glomerella Leaf Spot
- ✓ Susceptible to apple scab (similar to Gala and Fuji)
- ✓ Higher yield potencial than Gala
- ✓ Picking time: mid-march (between Gala and Fuji)
- ✓ Crunchy, juicy, sweet and very good aroma
- ✓ Storage ability: slightly better than Gala










scs441 Gala Gui®

Releasing: 2019


✓ Gala mutation for good skin color and resistant to Glomerella Leaf Spot

mutation



Royal Gala (New Zealand)

* Poor skin color * Susceptible to Glomerella Leaf Spot



Star Gala (Brazil)

* Resistant to Glomerella Leaf Spot



Gala Gui (Brazil)

* Resistant to Glomerella Leaf Spot * Good appearance





Epagri 405 - Fuji Suprema

Releasing: 1992

√ Fuji Mutation for good skin color





Fuji (Japan)

Poor skin color



Fuji Suprema (Brazil)

* Good skin color



New varieties to be released

(coming soon...)

Code: F2P101



Code: SG17M



Star Gala Sport

* Solid full color / No stripes
* Resistant to Glomerella Leaf Spot

Code: CON18M



Condessa Sport

* Super early harvesting (3-4 weeks before Gala)

* Resistant to Glomerella Leaf Spot

^{*} Resistant to Apple Scab (Rvi6)

* Very good eating quality

Thank you for your attention!

- www.epagri.sc.gov.br
- www.youtube.com/epagrity
- 🔐 www.facebook.com/epagri
- www.twitter.com/epagrioficial
- www.instagram.com/epagri

marcusvinicius@epagri.sc.gov.br denardi.frederico@gmail.com

